GRANITE COUNTERTOPS & BATH SURROUNDS

Pacific Stone Installers

802 N Columbia Blvd, Portland, OR 97217 Email: info@touchstonegranite.com

Phone: (503) 227-1272 Fax: (503) 227-1273

Website: www.touchstonegranite.com

MAINTENANCE INSTRUCTIONS

Dear Customer:

Thank you for purchasing your natural stone products from Pacific Stone Installers. With proper care and regular maintenance, we know you will enjoy your new surfaces in the years to come.

The polished natural stone applications should be sealed on an annual basis. Honed materials should be sealed at least every six months. Any stone application may be sealed more frequently at the owners' discretion. Natural stone **cleaner**, **sealers and polish** may be purchased at the **Pacific Stone Installers Showroom** or any home improvement store. Simply apply the product according to the manufacturer's instructions.

PLEASE NOTE: Natural oils may be used on any surface, however it will void all warranty's and may cause the stones appearance/color to change, and especially stone which has been honed. If you wish to use this type of product test a small unnoticeable area first.

Regular cleaning of Marble and Granite requires cleaning based on areas of use. Only water and a very low PH cleanser should be used to clean the surface of Marble and Granite Products. A balanced PH detergent will clean without dulling the surface. It is recommended that using only a soft cloth or non-abrasive material should be used to apply the cleaning product(s).

Any product with high alkalinity content will cause damage to the surface and destroy the integrity of the products' longevity and beauty.

Exposure to rainwater, or water containing chlorine (such as from a fountain) should be avoided, as damage will occur. Spillage should be cleaned up immediately.

Marble and Granite are not generally flammable materials, and are not combustible when exposed to flame, however very high temperatures should be avoided.

For the most beauty and longevity of your Marble and Granite Products, keep the surface dry when not in use, and avoid standing water.

Sincerely,

Pacific Stone Installers

USE KOHLER CAULKING MATERIALS